



AUTHORISED DEALER: CAPITAL CABLES INDIA PVT. LTD.

1798-A, Bhagirath Palace, Chandni Chowk, Delhi -06

Ph. No:- 011-23881800, E-Mail : sales@capitalcables.co.in, Web: www.capitalcables.co.in



LT Power Cables - Aluminium conductor

PRICE LIST JULY - 2017

HAVELLS BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC innersheathed, unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm, 4x6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7908(Part 1) 1988

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|------------------|----------------|----------------|------------|----------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | A2XY | A2XY | A2XY | A2XY | A2XY | A2XWaY A2XFaY | A2XWY A2XFY | A2XWY A2XFY | A2XFY | A2XWY A2XFY |
| 4 | | 43 | 46 | | 51 | | 66 | 73 | | 84 |
| 6 | | 48 | 55 | | 65 | | 77 | 85 | | 96 |
| 10 | | 58 | 71 | | 86 | | 92 | 107 | | 122 |
| 16 | 33 | 71 | 91 | | 112 | 59 | 108 | 114 | | 136 |
| 25 | 43 | 91 | 124 | 142 | 152 | 71 | 111 | 144 | 162 | 175 |
| 35 | 53 | 115 | 158 | 180 | 200 | 85 | 136 | 182 | 205 | 227 |
| 50 | 69 | 147 | 207 | 240 | 263 | 104 | 170 | 230 | 266 | 294 |
| 70 | 92 | 198 | 287 | 331 | 367 | 132 | 226 | 310 | 361 | 398 |
| 95 | 125 | 265 | 355 | 411 | 460 | 149 | 291 | 385 | 437 | 486 |
| 120 | 156 | 316 | 439 | 516 | 573 | 179 | 347 | 460 | 545 | 595 |
| 150 | 190 | 385 | 544 | 622 | 712 | 213 | 419 | 567 | 646 | 732 |
| 185 | 234 | 481 | 676 | 783 | 885 | 260 | 521 | 693 | 806 | 910 |
| 240 | 293 | 638 | 864 | 997 | 1132 | 319 | 678 | 887 | 1014 | 1161 |
| 300 | 359 | 788 | 1063 | 1227 | 1385 | 388 | 827 | 1072 | 1243 | 1399 |
| 400 | 471 | 1010 | 1336 | 1547 | 1747 | 487 | 1041 | 1363 | 1581 | 1779 |
| 500 | 560 | 1271 | 1740 | 2010 | 2269 | 667 | 1377 | 1846 | 2151 | 2414 |
| 630 | 659 | 1603 | 2305 | 2726 | 3061 | 780 | 1734 | 2447 | 2922 | 3266 |
| 800 | 936 | | | | | 1075 | | | | |
| 1000 | 1101 | | | | | 1239 | | | | |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | | FRLS Loading Factor | | LSZH Loading | |
|-------------------------------------|--------|-------------------------|---------------|--------------|--------------|
| | | Inner Sheath | Outer Sheath | Inner Sheath | Outer Sheath |
| a) Round Wire Armouring | | | | | |
| - 2 x 16 & above | 25.00% | | Armd. Unarmd. | | |
| - 3 x 16 & 3.5CX25 & above | 25.00% | Power (Al.) | | | |
| - 4 x 10 & above | 25.00% | Upto 16 | 10.0% | 15.0% | 15.0% |
| - For Single core 95 & above | 25.00% | 25 - 50 | 7.5% | 10.0% | 10.0% |
| b) Stranding 10 sq.mm and below | 10.00% | 70 & above | 5.0% | 7.5% | 7.5% |
| c) Extruded PVC Innersheath Up 50 | 5.00% | Power Single Core (Al.) | | | |
| Extruded PVC Innersheath 70 & Above | 2.50% | Upto 16 | -N.A- | 20.0% | 20.0% |
| d) HR PVC Insulation | 10.00% | 25 - 70 | -N.A- | 15.0% | 15.0% |
| e) HR PVC Inner Sheath | 5.00% | 95 & above | -N.A- | 12.5% | 12.5% |
| f) HR PVC Outer Sheath | 5.00% | | | 17.5% | 17.5% |
| g) Oxygen Index (FR) | 2.50% | | | | |
| h) PVC Insulated Cables | 8.00% | | | | |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



AUTHORISED DEALER: CAPITAL CABLES INDIA PVT. LTD.

1798-A, Bhagirath Palace, Chandni Chowk, Delhi -06

Ph. No:- 011-23881800, E-Mail : sales@capitalcables.co.in, Web: www.capitalcables.co.in



LT Power and Control Cables - Copper conductor

PRICE LIST JULY - 2017

HAVELLS BRAND Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm and balance Stranded Copper, XLPE Insulated, cores laid up, PVC innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|----------------|--------------|--------------|------------|--------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | 2XY | 2XY | 2XY | 2XY | 2XY | 2XWaY 2XFaY | 2XWY 2XFY | 2XWY 2XFY | 2XFY | 2XWY 2XFY |
| 4 | | 99 | 139 | | 180 | | 122 | 158 | | 201 |
| 6 | | 140 | 198 | | 259 | | 164 | 218 | | 281 |
| 10 | | 221 | 311 | | 409 | | 248 | 333 | | 429 |
| 16 | 160 | 316 | 461 | | 609 | 174 | 354 | 472 | | 619 |
| 25 | 248 | 486 | 728 | 878 | 962 | 287 | 541 | 776 | 934 | 1022 |
| 35 | 342 | 672 | 1006 | 1158 | 1333 | 389 | 740 | 1069 | 1226 | 1409 |
| 50 | 468 | 920 | 1380 | 1615 | 1829 | 526 | 1005 | 1456 | 1702 | 1929 |
| 70 | 666 | 1308 | 1971 | 2298 | 2637 | 740 | 1423 | 2067 | 2409 | 2762 |
| 95 | 894 | 1820 | 2737 | 3197 | 3667 | 1040 | 2043 | 2969 | 3469 | 3974 |
| 120 | 1128 | 2290 | 3446 | 4103 | 4627 | 1308 | 2561 | 3731 | 4445 | 5002 |
| 150 | 1409 | 2858 | 4309 | 4968 | 5783 | 1627 | 3195 | 4657 | 5371 | 6243 |
| 185 | 1735 | 3523 | 5308 | 6209 | 7123 | 2001 | 3930 | 5731 | 6700 | 7677 |
| 240 | 2236 | 4543 | 6850 | 7987 | 9193 | 2570 | 5055 | 7383 | 8606 | 9896 |
| 300 | 2787 | 5667 | 8542 | 9963 | 11468 | 3204 | 6296 | 9191 | 10721 | 12330 |
| 400 | 3664 | 7439 | 11217 | 12979 | 15067 | 4197 | 8254 | 12062 | 13948 | 16178 |
| 500 | 4627 | | | | | 5297 | | | | |
| 630 | 5828 | | | | | 6667 | | | | |
| 800 | 7396 | | | | | 8447 | | | | |
| 1000 | 9240 | | | | | 10544 | | | | |

CONTROL CABLES

(Rate in Rs. Per Metre)

| Number of Cores | UN ARMoured 2XY | | ARMoured - 2XWY/2XFY | | No. of Cores | UN ARMoured 2XY | | ARMoured - 2XWY/2XFY | |
|-----------------|-----------------|-----|----------------------|-----|--------------|-----------------|------|----------------------|------|
| | 1.5 | 2.5 | 1.5 | 2.5 | | 1.5 | 2.5 | 1.5 | 2.5 |
| | 2 | 50 | 72 | 72 | | 94 | 14 | 241 | 375 |
| 3 | 64 | 93 | 87 | 118 | 16 | 273 | 429 | 307 | 465 |
| 4 | 80 | 119 | 105 | 148 | 19 | 321 | 506 | 356 | 545 |
| 5 | 95 | 142 | 123 | 177 | 24 | 406 | 637 | 446 | 683 |
| 6 | 112 | 169 | 141 | 205 | 27 | 454 | 712 | 497 | 760 |
| 7 | 126 | 194 | 156 | 232 | 30 | 519 | 816 | 570 | 877 |
| 8 | 147 | 222 | 177 | 261 | 37 | 635 | 1000 | 694 | 1069 |
| 10 | 177 | 274 | 226 | 305 | 44 | 752 | 1202 | 843 | 1323 |
| 12 | 209 | 324 | 261 | 358 | 61 | 1061 | 1652 | 1151 | 1803 |

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

| | | | |
|-----------------------------|-------|-----------------------------|----------------|
| A) Tinning | 3.00% | E) OXYGEN INDEX (FR) | 2.50% |
| B) Stranding (Upto 6 SQ.MM) | 6.00% | F) HR PVC INSULATION | 7.00 |
| C) Extruded Innersheath | 2.50% | G) HR PVC I.SH/O.SH. | 5.00% (Each) |
| D) Round Wire Armouring | | H) FRLS Loading-Power Cable | 7.50% |
| 1C x 95 sq. mm & above | 7.50% | I) PVC Cables | 5% |

| FRLS Loading Factor- Control Cable | | | | LSZH Loading | |
|------------------------------------|--------------|--------------|--------|--------------|--------------|
| Cores | Inner Sheath | Outer Sheath | | Inner Sheath | Outer Sheath |
| | | Armoured | Unarmd | | |
| 2 - 4 | 5.0% | 7.5% | 7.5% | 15.0% | 15.0% |
| 5 - 10 | 5.0% | 7.5% | 7.5% | 15.0% | 15.0% |
| 12 & Above | 5.0% | 7.5% | 7.5% | 12.5% | 12.5% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.

**AUTHORISED DEALER: CAPITAL CABLES INDIA PVT. LTD.**

1798-A, Bhagirath Palace, Chandni Chowk, Delhi -06

Ph. No:- 011-23881800,E-Mail : sales@capitalcables.co.in, Web: www.capitalcables.co.in

**HT Single Core Power Cables - Aluminium conductor****PRICE LIST JULY - 2017**

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XFaY | | | | | | |
|---------------------|-------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV E/UE | 6.6 KV (E) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35 | | | 196.00 | | | | |
| 50 | | | 217.00 | | | | |
| 70 | 227.00 | 233.00 | 248.00 | | | | |
| 95 | 257.00 | 260.00 | 275.00 | 359.00 | 374.00 | 498.00 | |
| 120 | 290.00 | 293.00 | 311.00 | 415.00 | 420.00 | 548.00 | |
| 150 | 324.00 | 327.00 | 342.00 | 450.00 | 457.00 | 572.00 | 678 |
| 185 | 373.00 | 382.00 | 410.00 | 522.00 | 535.00 | 636.00 | 743 |
| 240 | 460.00 | 469.00 | 516.00 | 601.00 | 615.00 | 719.00 | 882 |
| 300 | 533.00 | 547.00 | 603.00 | 676.00 | 692.00 | 843.00 | 973 |
| 400 | 638.00 | 664.00 | 721.00 | 801.00 | 819.00 | 964.00 | 1112 |
| 500 | 804.00 | 843.00 | 873.00 | 1001.00 | 1001.00 | 1183.00 | 1284 |
| 630 | 997.00 | 1014.00 | 1041.00 | 1188.00 | 1188.00 | 1386.00 | 1502 |
| 800 | 1235.00 | 1246.00 | 1264.00 | 1387.00 | 1387.00 | 1588.00 | 1805 |
| 1000 | 1490.00 | 1495.00 | 1644.00 | 1805.00 | 1805.00 | 1935.00 | 2074 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|-------------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



AUTHORISED DEALER: CAPITAL CABLES INDIA PVT. LTD.

1798-A, Bhagirath Palace, Chandni Chowk, Delhi -06

Ph. No:- 011-23881800, E-Mail : sales@capitalcables.co.in, Web: www.capitalcables.co.in



HT Single Core Power Cables - Aluminium conductor

PRICE LIST JULY - 2017

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XWaY | | | | | | |
|---------------------|-------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV E/UE | 6.6 KV (E) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35 | | | 206 | | | | |
| 50 | | | 228 | | | | |
| 70 | 239 | 245 | 260 | | | | |
| 95 | 271 | 274 | 290 | 378 | 394 | 524 | |
| 120 | 305 | 308 | 328 | 436 | 442 | 577 | |
| 150 | 341 | 345 | 361 | 474 | 481 | 603 | 714 |
| 185 | 393 | 402 | 432 | 550 | 563 | 669 | 782 |
| 240 | 484 | 494 | 542 | 632 | 647 | 757 | 928 |
| 300 | 561 | 576 | 635 | 712 | 729 | 887 | 1024 |
| 400 | 672 | 698 | 758 | 843 | 862 | 1014 | 1170 |
| 500 | 846 | 887 | 919 | 1053 | 1053 | 1245 | 1352 |
| 630 | 1049 | 1067 | 1096 | 1250 | 1250 | 1459 | 1581 |
| 800 | 1300 | 1311 | 1330 | 1460 | 1460 | 1671 | 1900 |
| 1000 | 1568 | 1574 | 1731 | 1900 | 1900 | 2032 | 2184 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



AUTHORISED DEALER: CAPITAL CABLES INDIA PVT. LTD.

1798-A, Bhagirath Palace, Chandni Chowk, Delhi -06

Ph. No:- 011-23881800, E-Mail : sales@capitalcables.co.in, Web: www.capitalcables.co.in



HT Three Core Power Cables - ALuminium conductor

PRICE LIST JULY - 2017

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, GALVANISED STEEL **FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XFY | | | | | | |
|---------------------|---------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV (E/UE) | 6.6 KV(E) | 6.6 KV (UE) 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35 | | | 474 | | | | |
| 50 | | | 536 | | | | |
| 70 | 558 | 597 | 637 | | | | |
| 95 | 676 | 710 | 754 | 975 | 1015 | 1353 | |
| 120 | 795 | 829 | 870 | 1133 | 1158 | 1543 | |
| 150 | 898 | 935 | 971 | 1252 | 1277 | 1634 | 1940 |
| 185 | 1058 | 1078 | 1130 | 1400 | 1432 | 1805 | 2149 |
| 240 | 1253 | 1305 | 1356 | 1647 | 1678 | 2064 | 2436 |
| 300 | 1481 | 1556 | 1578 | 1895 | 1925 | 2319 | 2718 |
| 400 | 1800 | 1947 | 1982 | 2227 | 2267 | 2685 | 3125 |
| 500 | | | | | | | |
| 630 | | | | | | | |
| 800 | | | | | | | |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|---|-------|
| 1) Extruded PVC Inner Sheath | 3% |
| 2) Pressure Extruded PVC Innersheath | 13% |
| 3) Round Wire Armouring - Up to 11 KV (E) | 25% |
| 11 KV (UE) & Above | 27.5% |
| 4) FRLS PVC Inner Sheath | 5.0% |
| 5) FRLS PVC Outer Sheath | 5% |
| 6) FR Sheath with Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.